

VALID TO 31 DEC
2019



PRODUCT CERTIFICATION
www.steelcertification.com

Australasian Certification Authority for Reinforcing and Structural Steels Ltd
Certificate of Product Performance

Certificate Number: **60204**



NEUMANN STEEL

NEUMANN STEEL
CURRUMBIN, QLD, AUSTRALIA

has satisfied the Authority that it complies with the rules of the ACRS Product Certification Scheme, and the relevant ACRS Quality and Operations Assessment Procedures. Where appropriate, and as listed below, it has further satisfied the Authority that it manufactures and/or supplies products that conform with the standards listed below, and is entitled to use the ACRS mark in relation to the products listed on this certificate.

Wire approved by ACRS remains certified only if further processed (e.g. into mesh, or fitments) by an ACRS Certified mesh manufacturer or processor. For mesh approval, please refer to the mesh manufacturer's ACRS certificate, for fitments to the processor's ACRS certificate.

Scope of Certification

Reinforcing Wire Manufacture to AS/NZS 4671:2001

Full details of the products for which certification has been achieved should be viewed at: www.steelcertification.com

By authority of
ACRS Board:

Philip Sanders, Executive Director


Valid until:

31 December 2019

First certified:

February 2006

JAS-ANZ



www.jas-anz.org/register

VALID TO 31 DEC
2019



PRODUCT CERTIFICATION
www.steelcertification.com

Australasian Certification Authority for Reinforcing and Structural Steels Ltd
Products assessed by ACRS to AS/NZS 4671:2001

To be read in conjunction with
 Certificate Number: **60204**



NEUMANN STEEL

NEUMANN STEEL
 CURRUMBIN, QLD, AUSTRALIA

has satisfied the Authority that it complies with the relevant ACRS Quality and Operations Assessment Procedures. Where appropriate, and as listed below, it manufactures products as indicated by "✓", below and is entitled to use the ACRS mark with these products.

Products manufactured :

AS/NZS 4671 Grade 500L Wire (nominal size)

Ribbed Wire -	3.0 - 5.5 mm	✓
	6.0 - 9.5 mm	✓
	10.0 - 12.0 mm	✓

Wire Markings



Additional Bar Marking from September 2016



JAS-ANZ



www.jas-anz.org/register